

Industrial Hose & Couplings

SUCTION & DELIVERY COUPLINGS

PRODUCT INDEX

We offers a range of couplings to suit various types of suction and delivery hoses.

Hose Menders are produced from zinc plated carbon steel, stainless steel, aluminium and brass and are available from ½" through to 8".

Strainers are available as a rugged cast iron foot valve unit and as a 'tin can' type. They are available from 1½" through to 8".

Flanged & Threaded Hose Spigots with all popular flange terminations (ASA150, PN16, TABLE D/E) are available together with BSPT threaded or plain (weld type) combination nipples.

Lug Type Hose Couplings complement the range and are available in brass, zinc plated iron, stainless steel, aluminium or white polypropylene.

Bauer galvanised water couplings are available which are fully interchangeable with products from other manufacturers. They are available from stock as male and female with hose tails but other types with flanges or threaded ends can be supplied upon application.

	Series	Page
 Bauer S77 Series Male Coupling Hose Connector	BMHC	398
 Bauer S2 Series Lever Closure Ring	BLCR	398
 Bauer S74 Series Male Coupling to BSPP Male	BMBM	398
 Bauer S78 Series Female Coupling to Hose Connector	BFHC	398
 Bauer S4 Series Sealing Ring	BRSR	398
 Bauer S75 Series Female Coupling to BSPP Male	BFBM	398
 Bauer S12 Series Male/Female 60° Bends	BSB60	398
 Bauer S9 Series Male End Cap	BMP	398
 Bauer S21 Series Unequal Tee (Female/Male/Male)	BUET	398
 Bauer S11 Series Male/Female 90° Bends	BSB90	399
 Bauer S8 Series Female End Cap	BFC	399
 Bauer S27 Series Equal Tee (Male/Male/Female)	BET	399
 Bauer S81 Series Female/Male Reducer	BRFM	399
 Bauer S70 Series Flanged Connector Male	BFCM	399
 Bauer HK Series Hose Connection Set	BHCK	399
 Bauer S82 Series Female/Male Enlarger	BEFM	399
 Bauer S73 Series Flanged Connector Female	BFCF	399
 Brass Male BSPP Hose Tail	BR/LCM	399
 Brass Female BSPP Hose Tail	BR/LCF	399
 Gunmetal Male BSPP x Male BSPP	BR/LAMM	400
 Gunmetal Male BSPP x Female BSPP	BR/LAMF	400

Industrial Hose & Couplings

SUCTION & DELIVERY COUPLINGS

PRODUCT INDEX

	Series	Page		Series	Page		Series	Page
	Brass Male BSPP Plug	BR/LCP 400		Polypropylene Male URT Hose Tail	PP/ULCM 404		Stainless Steel Table D/E Flange to Hose Tail	SS/FLHT-DE 406
	Brass Female BSPP Dust Cap	BR/LCD 400		Polypropylene Female URT Hose Tail	PP/ULCF 404		Stainless Steel Table D Flange to Hose Tail	SS/FLHT-D 406
	Aluminium Male BSPP Hose Tail	AL/LCM 400		Polypropylene Male URT Plug	PP/ULCP 404		Stainless Steel Table E Flange to Hose Tail	SS/FLHT-E 406
	Aluminium Female BSPP Hose Tail	AL/LCF 400		Polypropylene Female URT Dust Cap	PP/ULCD 404		Galvanised Strainer to Hose Tail	GTCS 406
	Aluminium Male BSPP x Male BSPP	AL/LAMM 401		Aluminium Male URT Hose Tail	AL/ULCM 404		Galvanised Strainer to BSPP Female	GTCSB 406
	Aluminium Male BSPP x Female BSPP	AL/LAMF 401		Aluminium Female URT Hose Tail	AL/ULCF 404		Foot Valve Strainer to Hose Tail	FV 406
	Aluminium Male BSPP Plug	AL/LCP 401		Aluminium Male URT Plug	AL/ULCP 404		Malleable Iron Foot Valve Strainer to BSPP Female	SFT 406
	Aluminium Female BSPP Dust Cap	AL/LCD 401		Aluminium Female URT Dust Cap	AL/ULCD 404			
	Stainless Steel Male BSPP Hose Tail	SS/LCM 401		Stainless Steel Male URT Hose Tail	SS/ULCM 404			
	Stainless Steel Female BSPP Hose Tail	SS/LCF 402		Stainless Steel Female URT Hose Tail	SS/ULCF 404			
	Stainless Steel Male BSPP x Male BSPP	SS/LAMM 402		Stainless Steel Male URT Plug	SS/ULCP 404			
	Stainless Steel Male BSPP x Female BSPP	SS/LAMF 402		Stainless Steel Female URT Dust Cap	SS/ULCD 404			
	Stainless Steel Male BSPP Plug	SS/LCP 402		Plated Steel Hose Tail x Hose Tail	ST/HJ 404			
	Stainless Steel Female BSPP Dust Cap	SS/LCD 402		Stainless Steel Hose Tail x Hose Tail	SS/HJ 405			
	Polypropylene Male BSPP Hose Tail	PP/LCM 402		Brass Hose Tail x Hose Tail	BR/HJ 405			
	Polypropylene Female BSPP Hose Tail	PP/LCF 402		Aluminium Hose Tail x Hose Tail	AL/HJ 405			
	Polypropylene Male BSPP x Male BSPP	PP/LAMM 403		Plated Steel Male BSPT x Hose Tail	ST/CNS 405			
	Polypropylene Male BSPP x Female BSPP	PP/LAMF 403		Stainless Steel Male BSPT x Hose Tail	SS/CNS 405			
	Polypropylene Female BSPP Dust Cap	PP/LCD 403		Plated Steel Table D/E Flange to Hose Tail	ST/FLHT-DE 405			
	Plated Steel Male BSPP Hose Tail	ST/LCM 403		Plated Steel Table D Flange to Hose Tail	ST/FLHT-D 405			
	Plated Steel Female BSPP Hose Tail	ST/LCF 403		Plated Steel Table E Flange to Hose Tail	ST/FLHT-E 406			

For Technical Data please see Section 9

Bauer S77 Series Male Coupling Hose Connector



Part Number	Coupling Size (hk)	Coupling Size (dn)	Hose Tail Size (mm)	Hose Tail Size (ins)
BMHC-50-50	HK50	50	50	2
BMHC-76-76	HK76	65	76	3
BMHC-89-76	HK89	80	76	3
BMHC-89-89	HK89	80	89	3½
BMHC-102-100	HK102	100	100	4
BMHC-108-100	HK108	100	100	4
BMHC-108-105	HK108	100	105	4¼
BMHC-133-125	HK133	125	125	5
BMHC-159-150	HK159	150	150	6
BMHC-194-200	HK194	200	200	8

Bauer S2 Series Lever Closure Ring



Part Number	Coupling Size (hk)	Coupling Size (dn)
BLCR-50	HK50	50
BLCR-76	HK76	65
BLCR-89	HK89	80
BLCR-102	HK102	100
BLCR-108	HK108	100
BLCR-133	HK133	125
BLCR-159	HK159	150
BLCR-194	HK194	200

Bauer S74 Series Male Coupling to BSPP Male



Part Number	Coupling Size (hk)	Coupling Size (dn)	Male Thread 1 (ins)
BMBM-50	HK50	50	2
BMBM-76	HK76	65	2½
BMBM-89	HK89	80	3
BMBM-108	HK108	100	4
BMBM-133	HK133	125	5
BMBM-159	HK159	150	6

Bauer S78 Series Female Coupling to House Connector



Part Number	Coupling Size (hk)	Coupling Size (dn)	Hose Tail Size (mm)	Hose Tail Size (ins)
BFHC-50-50	HK50	50	50	2
BFHC-76-76	HK76	65	76	3
BFHC-89-76	HK89	80	76	3
BFHC-89-89	HK89	80	89	3½
BFHC-102-100	HK102	100	100	4
BFHC-108-100	HK108	100	100	4
BFHC-108-105	HK108	100	105	4¼
BFHC-133-125	HK133	125	125	5
BFHC-159-150	HK159	150	150	6
BFHC-194-200	HK194	200	200	8

Bauer S4 Series Sealing Ring



Part Number	Coupling Size (hk)	Coupling Size (dn)
BRSR-50	HK50	50
BRSR-76	HK76	65
BRSR-89	HK89	80
BRSR-102	HK102	100
BRSR-108	HK108	100
BRSR-133	HK133	125
BRSR-159	HK159	150
BRSR-194	HK194	200

Bauer S75 Series Female Coupling to BSPP Male



Part Number	Coupling Size (hk)	Coupling Size (dn)	Male Thread 1 (ins)
BFBM-50	HK50	50	2
BFBM-76	HK76	65	2½
BFBM-89	HK89	80	3
BFBM-108	HK108	100	4
BFBM-133	HK133	125	5
BFBM-159	HK159	150	6

Bauer S12 Series Male/Female 60° Bends



Part Number	Coupling Size (hk)	Coupling Size (dn)	Internal Dmtr (ins)
BSB60-89	HK89	80	3½
BSB60-108	HK108	100	4¼
BSB60-159	HK159	150	6
BSB60-194	HK194	200	8

Bauer S9 Series Male End Cap



Part Number	Coupling Size (hk)	Coupling Size (dn)
BMP-50	HK50	50
BMP-76	HK76	65
BMP-89	HK89	80
BMP-102	HK102	100
BMP-108	HK108	100
BMP-133	HK133	125
BMP-159	HK159	150
BMP-194	HK194	200

Bauer S21 Series Unequal Tee (Female/Male/Male)



Part Number	Coupling Size (hk)	Coupling Size (dn)	Internal Dmtr (ins)
BUET-50	HK50	50	2
BUET-76	HK76	65	3
BUET-89	HK89	80	3½
BUET-102	HK102	100	4
BUET-108	HK108	100	4¼
BUET-133	HK133	125	5
BUET-159	HK159	150	6
BUET-194	HK194	200	8

Industrial Hose & Couplings

SUCTION & DELIVERY COUPLINGS

Bauer S11 Series Male/Female 90° Bends

Part Number	Coupling Size (hk)	Coupling Size (dn)
BSB90-50	HK50	50
BSB90-76	HK76	65
BSB90-89	HK89	80
BSB90-108	HK108	100
BSB90-133	HK133	125
BSB90-159	HK159	150
BSB90-194	HK194	200



Bauer S8 Series Female End Cap

Part Number	Coupling Size (hk)	Coupling Size (dn)
BFC-50	HK50	50
BFC-76	HK76	65
BFC-89	HK89	80
BFC-102	HK102	100
BFC-108	HK108	100
BFC-133	HK133	125
BFC-159	HK159	150
BFC-194	HK194	200



Bauer S27 Series Equal Tee (Male/Male/Female)

Part Number	Coupling Size (hk)	Coupling Size (dn)	Internal Dmtr (ins)
BET-50	HK50	50	2
BET-89	HK89	80	3½
BET-108	HK108	100	4¼
BET-159	HK159	150	6



Bauer S81 Series Female/Male Reducer

Part Number	Coupling Size (hk)	Coupling Size (dn)
BRFM-76-50	HK76/50	65/50
BRFM-89-50	HK89/50	80/50
BRFM-108-76	HK108/76	100/65
BRFM-108-89	HK108/89	100/80
BRFM-133-108	HK133/108	125/100
BRFM-159-108	HK159/108	150/100
BRFM-194-159	HK194/159	200/150



Bauer S70 Series Flanged Connector Male

Part Number	Coupling Size (hk)	Coupling Size (dn)	Flange Size (ins)
BFCM-50	HK50	50	2
BFCM-76	HK76	65	3
BFCM-89	HK89	80	3
BFCM-108	HK108	100	4
BFCM-133	HK133	125	5
BFCM-159	HK159	150	6
BFCM-194	HK194	200	8



Bauer HK Series Hose Connection Set

Part Number	Coupling Size (hk)	Coupling Size (dn)	Hose Tail Size (mm)	Hose Tail Size (ins)
BHCK-50	HK50	50	50	2
BHCK-76	HK76	65	76	3
BHCK-89	HK89	80	76	3
BHCK-108	HK108	100	100	4
BHCK-133	HK133	125	125	5
BHCK-159	HK159	150	150	6
BHCK-194	HK194	200	200	8



Bauer S82 Series Female/Male Enlarger

Part Number	Coupling Size (hk)	Coupling Size (dn)
BEFM-50-89	HK50/89	50/80
BEFM-89-108	HK89/108	80/100
BEFM-108-159	HK108/159	100/150
BEFM-159-194	HK159/194	150/200




Bauer S73 Series Flanged Connector Female

Part Number	Coupling Size (hk)	Coupling Size (dn)	Flange Size (ins)
BFCF-50	HK50	50	2
BFCF-76	HK76	65	3
BFCF-89	HK89	80	3
BFCF-108	HK108	100	4
BFCF-133	HK133	125	5
BFCF-159	HK159	150	6
BFCF-194	HK194	200	8



Brass Male BSPP Hose Tail

Part Number	Male Thread 1 (ins)	Hose Tail Size (mm)	Hose Tail Size (ins)
BR/LCM-08	½	12	½
BR/LCM-12	¾	19	¾
BR/LCM-16	1	25	1
BR/LCM-20	1¼	32	1¼
BR/LCM-24	1½	38	1½
BR/LCM-32	2	50	2
BR/LCM-40	2½	63	2½
BR/LCM-48	3	76	3
BR/LCM-64	4	100	4
BR/LCM-96	6	152	6



Brass Female BSPP Hose Tail

Part Number	Female Thread (ins)	Hose Tail Size (mm)	Hose Tail Size (ins)
BR/LCF-08	½	12	½
BR/LCF-12	¾	19	¾
BR/LCF-16	1	25	1
BR/LCF-20	1¼	32	1¼
BR/LCF-24	1½	38	1½
BR/LCF-32	2	50	2
BR/LCF-40	2½	63	2½
BR/LCF-48	3	76	3
BR/LCF-64	4	100	4
BR/LCF-96	6	152	6



3.
9

Gunmetal Male BSPP x Male BSPP



Part Number	Male Thread (ins)	Male Thread (ins)
BR/LAMM-24-24	1½	1½
BR/LAMM-32-24	2	1½
BR/LAMM-32-32	2	2
BR/LAMM-40-32	2½	2
BR/LAMM-40-40	2½	2½
BR/LAMM-48-32	3	2
BR/LAMM-48-40	3	2½
BR/LAMM-48-48	3	3
BR/LAMM-64-48	4	3
BR/LAMM-64-64	4	4

Gunmetal Male BSPP x Female BSPP



Part Number	Male Thread (ins)	Female Thread (ins)
BR/LAMF-24-20	1½	1¼
BR/LAMF-24-24	1½	1½
BR/LAMF-24-32	1½	2
BR/LAMF-24-40	1½	2½
BR/LAMF-24-48	1½	3
BR/LAMF-32-20	2	1¼
BR/LAMF-32-24	2	1½
BR/LAMF-32-32	2	2
BR/LAMF-32-40	2	2½
BR/LAMF-32-48	2	3
BR/LAMF-40-32	2½	2
BR/LAMF-40-40	2½	2½
BR/LAMF-40-48	2½	3
BR/LAMF-40-64	2½	4
BR/LAMF-48-32	3	2
BR/LAMF-48-40	3	2½
BR/LAMF-48-48	3	3
BR/LAMF-48-64	3	4
BR/LAMF-64-48	4	3
BR/LAMF-64-64	4	4

Brass Male BSPP Plug



Part Number	Male Thread (ins)
BR/LCP-08	½
BR/LCP-12	¾
BR/LCP-16	1
BR/LCP-20	1¼
BR/LCP-24	1½
BR/LCP-32	2
BR/LCP-40	2½
BR/LCP-48	3
BR/LCP-64	4
BR/LCP-96	6

Brass Female BSPP Dust Cap



Part Number	Female Thread (ins)
BR/LCD-08	½
BR/LCD-12	¾
BR/LCD-16	1
BR/LCD-20	1¼
BR/LCD-24	1½
BR/LCD-32	2
BR/LCD-40	2½
BR/LCD-48	3
BR/LCD-64	4
BR/LCD-96	6

Aluminium Male BSPP Hose Tail



Part Number	Male Thread (ins)	Hose Tail Size (mm)	Hose Tail Size (ins)
AL/LCM-08	½	12	½
AL/LCM-12	¾	19	¾
AL/LCM-16	1	25	1
AL/LCM-20	1¼	32	1¼
AL/LCM-24	1½	38	1½
AL/LCM-32	2	50	2
AL/LCM-40	2½	63	2½
AL/LCM-48	3	76	3
AL/LCM-64	4	100	4
AL/LCM-96	6	152	6

Aluminium Female BSPP Hose Tail



Part Number	Female Thread (ins)	Hose Tail Size (mm)	Hose Tail Size (ins)
AL/LCF-08	½	12	½
AL/LCF-12	¾	19	¾
AL/LCF-16	1	25	1
AL/LCF-20	1¼	32	1¼
AL/LCF-24	1½	38	1½
AL/LCF-32	2	50	2
AL/LCF-40	2½	63	2½
AL/LCF-48	3	76	3
AL/LCF-64	4	100	4
AL/LCF-96	6	152	6

Industrial Hose & Couplings

SUCTION & DELIVERY COUPLINGS

Aluminium Male BSPP x Male BSPP

Part Number	Male Thread (ins)	Male Thread (ins)
AL/LAMM-24-24	1½	1½
AL/LAMM-32-24	2	1½
AL/LAMM-32-32	2	2
AL/LAMM-40-32	2½	2
AL/LAMM-40-40	2½	2½
AL/LAMM-48-32	3	2
AL/LAMM-48-40	3	2½
AL/LAMM-48-48	3	3
AL/LAMM-64-48	4	3
AL/LAMM-64-64	4	4



Aluminium Male BSPP x Female BSPP

Part Number	Male Thread (ins)	Female Thread (ins)
AL/LAMF-24-20	1½	1¼
AL/LAMF-24-24	1½	1½
AL/LAMF-24-32	1½	2
AL/LAMF-24-40	1½	2½
AL/LAMF-24-48	1½	3
AL/LAMF-32-20	2	1¼
AL/LAMF-32-24	2	1½
AL/LAMF-32-32	2	2
AL/LAMF-32-40	2	2½
AL/LAMF-32-48	2	3
AL/LAMF-40-32	2½	2
AL/LAMF-40-40	2½	2½
AL/LAMF-40-48	2½	3
AL/LAMF-40-64	2½	4
AL/LAMF-48-32	3	2
AL/LAMF-48-40	3	2½
AL/LAMF-48-48	3	3
AL/LAMF-48-64	3	4
AL/LAMF-64-48	4	3
AL/LAMF-64-64	4	4



Aluminium Male BSPP Plug

Part Number	Male Thread (ins)
AL/LCP-08	½
AL/LCP-12	¾
AL/LCP-16	1
AL/LCP-20	1¼
AL/LCP-24	1½
AL/LCP-32	2
AL/LCP-40	2½
AL/LCP-48	3
AL/LCP-64	4
AL/LCP-96	6



Aluminium Female BSPP Dust Cap

Part Number	Female Thread (ins)
AL/LCD-08	½
AL/LCD-12	¾
AL/LCD-16	1
AL/LCD-20	1¼
AL/LCD-24	1½
AL/LCD-32	2
AL/LCD-40	2½
AL/LCD-48	3
AL/LCD-64	4
AL/LCD-96	6



Stainless Steel Male BSPP Hose Tail

Part Number	Male Thread (ins)	Hose Tail Size (mm)	Hose Tail Size (ins)
SS/LCM-08	½	12	½
SS/LCM-12	¾	19	¾
SS/LCM-16	1	25	1
SS/LCM-20	1¼	32	1¼
SS/LCM-24	1½	38	1½
SS/LCM-32	2	50	2
SS/LCM-40	2½	63	2½
SS/LCM-48	3	76	3
SS/LCM-64	4	100	4
SS/LCM-96	6	152	6



3.
9

Stainless Steel Female BSPP Hose Tail



Part Number	Female Thread (ins)	Hose Tail Size (mm)	Hose Tail Size (ins)
SS/LCF-08	1/2	12	1/2
SS/LCF-12	3/4	19	3/4
SS/LCF-16	1	25	1
SS/LCF-20	1 1/4	32	1 1/4
SS/LCF-24	1 1/2	38	1 1/2
SS/LCF-32	2	50	2
SS/LCF-40	2 1/2	63	2 1/2
SS/LCF-48	3	76	3
SS/LCF-64	4	100	4
SS/LCF-96	6	152	6

Stainless Steel Male BSPP Plug



Part Number	Male Thread (ins)
SS/LCP-08	1/2
SS/LCP-12	3/4
SS/LCP-16	1
SS/LCP-20	1 1/4
SS/LCP-24	1 1/2
SS/LCP-32	2
SS/LCP-40	2 1/2
SS/LCP-48	3
SS/LCP-64	4
SS/LCP-96	6

Stainless Steel Female BSPP Dust Cap



Part Number	Female Thread (ins)
SS/LCD-08	1/2
SS/LCD-12	3/4
SS/LCD-16	1
SS/LCD-20	1 1/4
SS/LCD-24	1 1/2
SS/LCD-32	2
SS/LCD-40	2 1/2
SS/LCD-48	3
SS/LCD-64	4
SS/LCD-96	6

Polypropylene Male BSPP Hose Tail



Part Number	Male Thread (ins)	Hose Tail Size (mm)	Hose Tail Size (ins)
PP/LCM-08	1/2	12	1/2
PP/LCM-12	3/4	19	3/4
PP/LCM-16	1	25	1
PP/LCM-20	1 1/4	32	1 1/4
PP/LCM-24	1 1/2	38	1 1/2
PP/LCM-32	2	50	2
PP/LCM-40	2 1/2	63	2 1/2
PP/LCM-48	3	76	3
PP/LCM-64	4	100	4
PP/LCM-96	6	152	6

Polypropylene Female BSPP Hose Tail



Part Number	Female Thread (ins)	Hose Tail Size (mm)	Hose Tail Size (ins)
PP/LCF-08	1/2	12	1/2
PP/LCF-12	3/4	19	3/4
PP/LCF-16	1	25	1
PP/LCF-20	1 1/4	32	1 1/4
PP/LCF-24	1 1/2	38	1 1/2
PP/LCF-32	2	50	2
PP/LCF-40	2 1/2	63	2 1/2
PP/LCF-48	3	76	3
PP/LCF-64	4	100	4
PP/LCF-96	6	152	6

Stainless Steel Male BSPP x Male BSPP



Part Number	Male Thread 1	Male Thread 2
SS/LAMM-24-24	1 1/2	1 1/2
SS/LAMM-32-24	2	1 1/2
SS/LAMM-32-32	2	2
SS/LAMM-40-32	2 1/2	2
SS/LAMM-40-40	2 1/2	2 1/2
SS/LAMM-48-32	3	2
SS/LAMM-48-40	3	2 1/2
SS/LAMM-48-48	3	3
SS/LAMM-64-48	4	3
SS/LAMM-64-64	4	4

Stainless Steel Male BSPP x Female BSPP



Part Number	Male Thread (ins)	Female Thread (ins)
SS/LAMF-24-20	1 1/2	1 1/4
SS/LAMF-24-24	1 1/2	1 1/2
SS/LAMF-24-32	1 1/2	2
SS/LAMF-24-40	1 1/2	2 1/2
SS/LAMF-24-48	1 1/2	3
SS/LAMF-32-20	2	1 1/4
SS/LAMF-32-24	2	1 1/2
SS/LAMF-32-32	2	2
SS/LAMF-32-40	2	2 1/2
SS/LAMF-32-48	2	3
SS/LAMF-40-32	2 1/2	2
SS/LAMF-40-40	2 1/2	2 1/2
SS/LAMF-40-48	2 1/2	3
SS/LAMF-40-64	2 1/2	4
SS/LAMF-48-32	3	2
SS/LAMF-48-40	3	2 1/2
SS/LAMF-48-48	3	3
SS/LAMF-48-64	3	4
SS/LAMF-64-48	4	3
SS/LAMF-64-64	4	4

Industrial Hose & Couplings

SUCTION & DELIVERY COUPLINGS

Polypropylene Male BSPP x Male BSPP

Part Number	Male Thread (ins)	Male Thread (ins)
PP/LAMM-24-24	1½	1½
PP/LAMM-32-24	2	1½
PP/LAMM-32-32	2	2
PP/LAMM-40-32	2½	2
PP/LAMM-40-40	2½	2½
PP/LAMM-48-32	3	2
PP/LAMM-48-40	3	2½
PP/LAMM-48-48	3	3
PP/LAMM-64-48	4	3
PP/LAMM-64-64	4	4



Polypropylene Female BSPP Dust Cap

Part Number	Female Thread (ins)
PP/LCD-08	½
PP/LCD-12	¾
PP/LCD-16	1
PP/LCD-20	1¼
PP/LCD-24	1½
PP/LCD-32	2
PP/LCD-40	2½
PP/LCD-48	3
PP/LCD-64	4
PP/LCD-96	6



Polypropylene Male BSPP x Female BSPP

Part Number	Male Thread (ins)	Female Thread (ins)
PP/LAMF-24-20	1½	1¼
PP/LAMF-24-24	1½	1½
PP/LAMF-24-32	1½	2
PP/LAMF-24-40	1½	2½
PP/LAMF-24-48	1½	3
PP/LAMF-32-20	2	1¼
PP/LAMF-32-24	2	1½
PP/LAMF-32-32	2	2
PP/LAMF-32-40	2	2½
PP/LAMF-32-48	2	3
PP/LAMF-40-32	2½	2
PP/LAMF-40-40	2½	2½
PP/LAMF-40-48	2½	3
PP/LAMF-40-64	2½	4
PP/LAMF-48-32	3	2
PP/LAMF-48-40	3	2½
PP/LAMF-48-48	3	3
PP/LAMF-48-64	3	4
PP/LAMF-64-48	4	3
PP/LAMF-64-64	4	4



Plated Steel Male BSPP Hose Tail

Part Number	Male Thread (ins)	Hose Tail Size (mm)	Hose Tail Size (ins)
ST/LCM-16	1	25	1
ST/LCM-20	1¼	32	1¼
ST/LCM-24	1½	38	1½
ST/LCM-32	2	50	2
ST/LCM-40	2½	63	2½
ST/LCM-48	3	76	3
ST/LCM-64	4	100	4
ST/LCM-96	6	152	6



Plated Steel Female BSPP Hose Tail

Part Number	Female Thread (ins)	Hose Tail Size (mm)	Hose Tail Size (ins)
ST/LCF-16	1	25	1
ST/LCF-20	1¼	32	1¼
ST/LCF-24	1½	38	1½
ST/LCF-32	2	50	2
ST/LCF-40	2½	63	2½
ST/LCF-48	3	76	3
ST/LCF-64	4	100	4
ST/LCF-96	6	152	6



3.
9

Polypropylene Male URT Hose Tail



Part Number	Male Thread	Hose Tail Size (mm)	Hose Tail Size (ins)
PP/ULCM-48	3	76	3
PP/ULCM-64	4	100	4

Polypropylene Female URT Hose Tail



Part Number	Female Thread	Hose Tail Size (mm)	Hose Tail Size (ins)
PP/ULCF-48	3	76	3
PP/ULCF-64	4	100	4

Polypropylene Male URT Plug



Part Number	Male Thread
PP/ULCP-48	3
PP/ULCP-64	4

Polypropylene Female URT Dust Cap



Part Number	Female Thread
PP/ULCD-48	3
PP/ULCD-64	4

Aluminium Male URT Hose Tail



Part Number	Male Thread	Hose Tail Size (mm)	Hose Tail Size (ins)
AL/ULCM-48	3	76	3
AL/ULCM-64	4	100	4

Aluminium Female URT Hose Tail



Part Number	Female Thread	Hose Tail Size (mm)	Hose Tail Size (ins)
AL/ULCF-48	3	76	3
AL/ULCF-64	4	100	4

Aluminium Male URT Plug



Part Number	Male Thread
AL/ULCP-48	3
AL/ULCP-64	4

Aluminium Female URT Dust Cap



Part Number	Female Thread
AL/ULCD-48	3
AL/ULCD-64	4

Stainless Steel Male URT Hose Tail



Part Number	Male Thread	Hose Tail Size (mm)	Hose Tail Size (ins)
SS/ULCM-48	3	76	3
SS/ULCM-64	4	100	4

Stainless Steel Female URT Hose Tail



Part Number	Female Thread	Hose Tail Size (mm)	Hose Tail Size (ins)
SS/ULCF-48	3	76	3
SS/ULCF-64	4	100	4

Stainless Steel Male URT Plug



Part Number	Male Thread
SS/ULCP-48	3
SS/ULCP-64	4

Stainless Steel Female URT Dust Cap



Part Number	Female Thread
SS/ULCD-48	3
SS/ULCD-64	4

Plated Steel Hose Tail x Hose Tail



Part Number	Hose Tail Size (mm)	Hose Tail Size (ins)
ST/HJ-04-04	6	1/4
ST/HJ-06-06	10	3/8
ST/HJ-08-08	12	1/2
ST/HJ-12-12	19	3/4
ST/HJ-16-16	25	1
ST/HJ-20-20	32	1 1/4
ST/HJ-24-24	38	1 1/2
ST/HJ-32-32	50	2
ST/HJ-40-40	63	2 1/2
ST/HJ-48-48	76	3
ST/HJ-64-64	100	4
ST/HJ-80-80	125	5
ST/HJ-96-96	150	6
ST/HJ-128-128	200	8
ST/HJ-160-160	250	10
ST/HJ-192-192	300	12

Industrial Hose & Couplings

SUCTION & DELIVERY COUPLINGS

Stainless Steel Hose Tail x Hose Tail

Part Number	Hose Tail Size (mm)	Hose Tail Size (ins)
SS/HJ-04-04	6	1/4
SS/HJ-06-06	10	3/8
SS/HJ-08-08	12	1/2
SS/HJ-12-12	19	3/4
SS/HJ-16-16	25	1
SS/HJ-20-20	32	1 1/4
SS/HJ-24-24	38	1 1/2
SS/HJ-32-32	50	2
SS/HJ-40-40	63	2 1/2
SS/HJ-48-48	76	3
SS/HJ-64-64	100	4
SS/HJ-80-80	125	5
SS/HJ-96-96	150	6
SS/HJ-128-128	200	8
SS/HJ-160-160	250	10
SS/HJ-192-192	300	12



Plated Steel Male BSPT x Hose Tail

Part Number	Male Thread	Hose Tail Size (mm)	Hose Tail Size (ins)
ST/CNS-08	1/2	12	1/2
ST/CNS-12	3/4	19	3/4
ST/CNS-16	1	25	1
ST/CNS-20	1 1/4	32	1 1/4
ST/CNS-24	1 1/2	38	1 1/2
ST/CNS-32	2	50	2
ST/CNS-40	2 1/2	63	2 1/2
ST/CNS-48	3	76	3
ST/CNS-64	4	100	4
ST/CNS-80	5	125	5
ST/CNS-96	6	150	6
ST/CNS-128	8	200	8
ST/CNS-160	10	250	10
ST/CNS-192	12	300	12



Brass Hose Tail x Hose Tail

Part Number	Hose Tail Size (mm)	Hose Tail Size (ins)
BR/HJ-04-04	6	1/4
BR/HJ-06-06	10	3/8
BR/HJ-08-08	12	1/2
BR/HJ-12-12	19	3/4
BR/HJ-16-16	25	1
BR/HJ-20-20	32	1 1/4
BR/HJ-24-24	38	1 1/2
BR/HJ-32-32	50	2
BR/HJ-40-40	63	2 1/2
BR/HJ-48-48	76	3
BR/HJ-64-64	100	4
BR/HJ-80-80	125	5
BR/HJ-96-96	150	6
BR/HJ-128-128	200	8
BR/HJ-160-160	250	10
BR/HJ-192-192	300	12



Stainless Steel Male BSPT x Hose Tail

Part Number	Male Thread	Hose Tail Size (mm)	Hose Tail Size (ins)
SS/CNS-08	1/2	12	1/2
SS/CNS-12	3/4	19	3/4
SS/CNS-16	1	25	1
SS/CNS-20	1 1/4	32	1 1/4
SS/CNS-24	1 1/2	38	1 1/2
SS/CNS-32	2	50	2
SS/CNS-40	2 1/2	63	2 1/2
SS/CNS-48	3	76	3
SS/CNS-64	4	100	4
SS/CNS-80	5	125	5
SS/CNS-96	6	150	6
SS/CNS-128	8	200	8
SS/CNS-160	10	250	10
SS/CNS-192	12	300	12



Aluminium Hose Tail x Hose Tail

Part Number	Hose Tail Size (mm)	Hose Tail Size (ins)
AL/HJ-06-06	10	3/8
AL/HJ-08-08	12	1/2
AL/HJ-12-12	19	3/4
AL/HJ-16-16	25	1
AL/HJ-20-20	32	1 1/4
AL/HJ-24-24	38	1 1/2
AL/HJ-32-32	50	2
AL/HJ-40-40	63	2 1/2
AL/HJ-48-48	76	3
AL/HJ-64-64	100	4
AL/HJ-80-80	125	5
AL/HJ-96-96	150	6
AL/HJ-128-128	200	8
AL/HJ-160-160	250	10
AL/HJ-192-192	300	12



Plated Steel Table D/E Flange to Hose Tail

Part Number	Hose Tail Size (mm)	Hose Tail Size (ins)	Flange Size
ST/FLHT-DE-75	19	3/4	3/4
ST/FLHT-DE-100	25	1	1
ST/FLHT-DE-125	32	1 1/4	1 1/4
ST/FLHT-DE-150	38	1 1/2	1 1/2
ST/FLHT-DE-200	50	2	2
ST/FLHT-DE-250	63	2 1/2	2 1/2
ST/FLHT-DE-300	76	3	3



Plated Steel Table D Flange to Hose Tail

Part Number	Hose Tail Size (mm)	Hose Tail Size (ins)	Flange Size
ST/FLHT-D-400	100	4	4
ST/FLHT-D-500	125	5	5
ST/FLHT-D-600	150	6	6
ST/FLHT-D-800	200	8	8
ST/FLHT-D-1000	250	10	10
ST/FLHT-D-1200	300	12	12



Plated Steel Table E Flange to Hose Tail



Part Number	Hose Tail Size (mm)	Hose Tail Size (ins)	Flange Size
ST/FLHT-E-400	100	4	4
ST/FLHT-E-500	125	5	5
ST/FLHT-E-600	150	6	6
ST/FLHT-E-800	200	8	8
ST/FLHT-E-1000	250	10	10
ST/FLHT-E-1200	300	12	12

Stainless Steel Table D/E Flange to Hose Tail



Part Number	Hose Tail Size (mm)	Hose Tail Size (ins)	Flange Size
SS/FLHT-DE-100	25	1	1
SS/FLHT-DE-125	32	1¼	1¼
SS/FLHT-DE-150	38	1½	1½
SS/FLHT-DE-200	50	2	2
SS/FLHT-DE-250	63	2½	2½
SS/FLHT-DE-300	76	3	3

Stainless Steel Table D Flange to Hose Tail



Part Number	Hose Tail Size (mm)	Hose Tail Size (ins)	Flange Size
SS/FLHT-D-400	100	4	4

Stainless Steel Table E Flange to Hose Tail



Part Number	Hose Tail Size (mm)	Hose Tail Size (ins)	Flange Size
SS/FLHT-E-400	100	4	4

Galvanised Strainer to Hose Tail



Part Number	Hose Tail Size (ins)
GTCS-16	1
GTCS-20	1¼
GTCS-24	1½
GTCS-32	2
GTCS-40	2½
GTCS-48	3
GTCS-64	4
GTCS-96	6
GTCS-128	8

Galvanised Strainer to BSPP Female



Part Number	Hose Tail Size (ins)
GTCSB-24	1½
GTCSB-32	2
GTCSB-48	3
GTCSB-64	4

Foot Valve Strainer to Hose Tail



Part Number	Hose Tail Size (ins)
FV-20	1¼
FV-24	1½
FV-32	2
FV-40	2½
FV-48	3
FV-64	4
FV-80	5
FV-96	6

Malleable Iron Foot Valve Strainer to BSPP Female



Part Number	Female Thread
SFT-24	1½
SFT-32	2
SFT-40	2½
SFT-48	3
SFT-64	4
SFT-96	6
SFT-128	8